

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

READI RAC RAT & MOUSE KILLER

ACTIVE CONSTITUENTS : 0.4g/kg COUMATETRALYL

READY TO USE RODENTICIDE

100g NET
8.kg NET

| | |
|------------------------------|------------|
| N.R.A. | |
| APPROVED LABEL (TEXT) | |
| Label No: | 42040/0702 |
| Date: | 31.1.7.102 |
| Signature: | C. Bauer |

BATCH NO:
D.O.M.
BAR CODE
NRA APPROVAL NO: 42040/0702

READI RAC RAT & MOUSE KILLER

ALL RODENTICIDES CAN BE HARMFUL TO PETS. DO NOT ALLOW THEM TO GAIN ACCESS TO THIS PRODUCT.

DIRECTIONS FOR USE:

RESTRAINTS: DO NOT place sachets in open unless in bait stations.
DO NOT place bait in any position accessible to children, livestock or domestic pets.
DO NOT remove bait from plastic sachet. Rodents will eat through plastic.

| SITUATION | PEST | RATE | CRITICAL COMMENTS |
|--|---------------------|------------------------|--|
| Domestic, (houses, homesteads, garden sheds, outbuildings) Urban and semi-urban commercial premises | Mice And Rats | A 100g sachet per site | Place bait sachet in area of known rodent activity. Do not exceed 3m between baits for mice, or 9m for rats. Follow the BAITING STRATEGY detailed below. |

NOT TO BE USED FOR ANY PURPOSE, OR IN A MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. THE USE OF THIS PRODUCT FOR THE CONTROL OF PROTECTED NATIVE RODENTS REQUIRES PERMISSION FROM WILDLIFE AUTHORITIES.

PRECAUTIONS:

DO NOT apply directly on or near exposed food or food utensils, food preparation areas, livestock feed or water, food storage areas, or onto packaging materials or in areas where such packaging is stored.

BAITING STRATEGY:

Eliminate as far as practicable, all alternative food sources. Place the bait sachets in areas on known rodent activity and under cover (eg behind appliances and furniture, in ceiling voids etc). Inspect baits daily. If eaten quickly increase the number of bait sachets. Continue observation and replenishment until no more bait is taken. Baiting for at least 2 weeks is necessary to reduce mouse or rat numbers. Caution is required in use of this product in and near piggeries. DO NOT allow to contaminate pig food.

PRECAUTIONS:

Should not be used in areas accessible to children.

READI RAC RAT & MOUSE KILLER

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Place bait in locations inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, and poultry. Do not contaminate ponds, waterways or drains with the product, bait refuse from bait stations, or used containers. Do not feed the bait to wild or domestic birds.

STORAGE and DISPOSAL:

Store in closed, original container in a cool well-ventilated area. Do not store for prolonged periods in direct sunlight. Dispose of at a local landfill authority. If no landfill is available, bury the containers below 500mm in a disposal pit specially marked and set up for this purpose clear of waterways. Empty containers and product should not be burnt.

SAFETY DIRECTIONS:

Poisonous if swallowed. Do not touch bait. Do not inhale dust. If on skin, and after each baiting, wash thoroughly with soap and water. Vitamin K1, (Phytomenadione) is antidotal.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Ph. 131126.

NOTICE: Purchases assumes all risk of use and handling where the product is not used in accordance with the directions given.

Emergency Phone Number: (08) 9337 4933

DAVID GRAY & CO. PTY. LTD.
2 RAWLINSON STREET
O'CONNOR WEST AUSTRALIA 6163
ACN: 008 671 127