

Product Name: Superway Total Bug & Insect Imidacloprid Systemic Insecticide
 APVMA Approval No.: 61974/131437



Label Name:	Superway Total Bug & Insect Imidacloprid Systemic Insecticide
Signal Headings:	READ SAFETY DIRECTIONS
Constituent Statements:	ACTIVE CONSTITUENT 0.125 g/L IMIDACLOPRID
Statement of Claims:	For the Systemic Control of Insect Pests on Flowers, Shrubs, Trees, Fruit Trees and Vegetables in the Home Garden.
Net Contents:	750 mL
Restrains:	DO NOT SPRAY IF IT IS RAINING OR ABOUT TO RAIN. DO NOT SPRAY IF SOIL IS DRY OR PLANTS ARE SUFFERING FROM WATER STRESS.
How to Use:	This section contains file attachment.
Withholding Periods:	DO NOT PICK STONE FRUIT FOR 21 DAYS AFTER SPRAYING DO NOT PICK CAPSICUM, POTATO OR EGGPLANT FOR 7 DAYS AFTER SPRAYING. DO NOT PICK TOMATOES FOR 3 DAYS AFTER SPRAYING. DO NOT PICK CUCURBITS FOR 1 DAYS AFTER SPRAYING.
How to Prepare:	Product is ready for use. Shake well before use.
Precautions:	
Protections:	Caution: DO NOT allow chemical containers or spray to enter into drains, sewers, streams, or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees.

Storage and Disposal:	Keep out of reach of children. Store the closed original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.
-----------------------	--

Safety Directions:	Wash hands after use.
--------------------	-----------------------

First Aid Instructions:	If poisoning occurs contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

HOW TO USE:

SITUATION	PEST	HOW TO APPLY
Shrubs, Plants and Ornamental Trees	Aphids Azalea Lace Bug Greenhouse Thrip Hibiscus Flower Beetle Mealy Bugs Sap Sucking Bugs	Spray Foliage thoroughly when insects are first seen or if insects re-appear. Spray underneath the leaves to kill insects which may be hiding out of sight. For Hibiscus Flower Beetle, spray buds and flowers as needed. For longtailed Mealy Bugs apply 3 sprays 2 weeks apart. For best results spray in the morning when there is little or no wind and little direct heat from the sun. Avoid spraying blooms in full sun as slight petal marking may occur.
Peach, Plum Apricot, Nectarine or other Stone Fruit. Capsicums, Zucchini melons and other cucurbits. Egg Plants, Potatoes and Tomatoes.	Green Peach Aphid	

NOT TO BE USED FOR ANY PURPOSE OR IN A MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.