

Product Name: Superway Total Bug & Insect Spray Imidacloprid Systemic Concentrate

APVMA Approval No.: 62472/131440



Label Name:	Superway Total Bug & Insect Spray Imidacloprid Systemic Concentrate
Signal Headings:	
Constituent Statements:	ACTIVE CONSTITUENT 5 g/L IMIDACLOPRID
Statement of Claims:	For the Systemic Control of Insect Pests on Flowers, Shrubs, Trees, Fruit Trees and Vegetables in the Home Garden.
Net Contents:	1 L 250 mL 500 mL
Restrains:	
How to Use:	This section contains file attachment.
Withholding Periods:	WITHOLDING PERIODS: DO NOT PICK STONE FRUIT FOR 21 DAYS AFTER SPRAYING DO NOT PICK BRASSICAS FOR 7 DAYS AFTER SPRAYING. DO NOT PICK TOMATOES FOR 3 DAYS AFTER SPRAYING. DO NOT PICK CUCURBITS FOR 1 DAY AFTER SPRAYING.
How to Prepare:	HOW TO PREPARE: 1. Shake bottle before use. 2. Remove child-proof cap 3. Pour required amount into measuring cylinder and add to 1 Litre of water. 4. Repeat if larger volumes are required. 5. Rinse measuring cylinder. 6. Replace child-proof cap.

--	--

Precautions:	
--------------	--

Protections:	Caution: DO NOT allow chemical containers or spray to enter into drains, sewers, streams, or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees. DO NOT feed lawn clippings to poultry or live stock. Children and pets may re enter the treated area after spray has dried.
--------------	---

Storage and Disposal:	Keep out of reach of children. Store the closed original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.
-----------------------	--

Safety Directions:	
--------------------	--

First Aid Instructions:	If poisoning occurs contact a Doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

**HOW TO USE:** Spray when insects appear, repeat as required, thoroughly covering both top and undersides of foliage. Spray on a calm day.

<b>Situation</b>	<b>Pest</b>	<b>Rate</b>	<b>How to Apply</b>
Rose	Aphids	10mL/1L Water	Apply as thorough cover spray at first sign of infestation.
Ornamental Plants	Aphids, Azalea Lace Bug, Bronze Orange Bug, Harlequin Bug, Citrus Mealy Bug, Greenhouse Thrips, White Fly.	10mL/1L Water	
Stone Fruit	Green Peach Aphid Black Peach Aphid	10mL/1L Water	Apply at first sign of Aphid infestation. Apply as a full cover spray.
Cucurbits	Green Peach Aphid	10mL/1L Water	
Tomato	Green Peach Aphid	10mL/1L Water	
Brassicas	Grey Cabbage Aphid Turnip Aphid	10mL/1L Water	

**NOT TO BE USED FOR ANY PURPOSE OR IN A MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.**